

Fungi selecti exsiccati

ex Herbario Universitatis Halensis – nos. 141–190

Uwe BRAUN

Abstract: BRAUN, U. 2012: Fungi selecti exsiccati ex Herbario Universitatis Halensis nos. 141–190. *Schlechtendalia* **24**: 73–90.

The labels of five new decadas (decas 15–19, nos. 141–190) of «Fungi selecti exsiccati ex Herbario Universitatis Halensis», an exsiccata distributed by the Herbarium of the Institute of Biology, Department of Geobotany and Botanical Garden, Martin Luther University Halle (HAL), are listed.

Zusammenfassung: BRAUN, U. 2012: Fungi selecti exsiccati ex Herbario Universitatis Halensis Nr. 141–190. *Schlechtendalia* **24**: 73–90.

Die Etiketten von drei neuen Ausgaben (Decas 15–19, Nr. 141–190) von «Fungi selecti exsiccati ex Herbario Universitatis Halensis», ein Exsiccatenwerk herausgegeben vom Herbarium des Instituts für Biologie, Bereich Geobotanik und Botanischer Garten der Martin-Luther-Universität Halle (HAL), werden aufgelistet.

«Fungi selecti exsiccati ex Herbario Universitatis Halensis» is an exsiccata distributed by the herbarium of the Institute of Biology, Dept. of Geobotany and Botanical Garden of the Martin Luther University Halle (Germany), which is dedicated to non-lichenised fungi. Although it is not confined to selected fungal groups, special emphasis is put on microfungi in general and phytoparasitic micromycetes in particular, and the taxonomic groups of fungi which are subjects of scientific examinations at Halle will, of course, be reflected in this series of exsiccatae. It will not be issued in traditional fascicles of 20, 25 or 50 numbers, but in sets of 10 exsiccatae (decas), each number comprising 10 duplicates, which are dispensed on an exchange basis to selected herbaria (no. 141–190 to BPI, BRIP, GZU, HMAS, K, KR, KUS, LE, M, PDD; an additional complete set is deposited at HAL – abbreviations according to “Index Herbariorum”).

Various interesting collections are included in this issue of «Fungi selecti exsiccati», e.g., isotypes of *Erysiphe pseudoregularis* and *Passalora majewskii*.

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Peronosporales

141. *Peronospora dipsaci* Tul. ex de Bary

Ann. Sci. Nat., Bot., Sér. 4, 20: 118 (1863) – Syn.: *P. dipsaci* Tul., Compt. Rend. Hebd. Séances Acad. Sci. Paris 38: 1103 (1854), *nom. inval.*

GERMANY, Sachsen-Anhalt, Wittenberg, NW Seegrehna, S Crassensee (MTB 4141/3.1). On leaves of *Dipsacus pilosus* L. (= *Virga pilosa* (L.) Hill).

13 Oct. 2004

H. Jage

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Peronosporales

142. *Peronospora verbenae* U. Braun, Jage, Udo Richt. & H.J. Zimm.

Schlechtendalia 19: 77 (2009).

GERMANY, Mecklenburg-Vorpommern, Schwerin, between Schlossgarten and Burgsee, exhibition BUGA (MTB 2334/3.4). On leaves of *Verbena rigida* Spreng. (cult.).

12 Sep. 2009

H. Jage

Note: New host.

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Erysiphales

143. *Erysiphe kusanoi* (Syd.) U. Braun & S. Takam.

Schlechtendalia 4: 20 (2000) – Syn.: *Uncinula kusanoi* Syd., Mem. Herb. Boissier 4: 4 (1900).

SOUTH KOREA, Hoengsong. On leaves of *Hemiptelea davidii* (Hance) Planch.

12 Nov. 2005

H.D. Shin

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Erysiphales

144. Erysiphe pseudoregularis U. Braun

in Braun & Cook, Taxonomic Manual of the *Erysiphales* (Powdery Mildews), CBS Biodiversity Series 11: 581 (2012).

Isotype

GERMANY, Sachsen-Anhalt, Halle (Saale), Jägerplatz, front garden. On leaves of *Salix caprea* L.

20 Nov. 2009

U. Braun

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Erysiphales

145. Erysiphe pseudoregularis U. Braun

in Braun & Cook, Taxonomic Manual of the *Erysiphales* (Powdery Mildews), CBS Biodiversity Series 11: 581 (2012).

GERMANY, Sachsen-Anhalt, Halle (Saale), Willi Lohmann Street, front garden. On leaves of *Salix caprea* L.

13 Sep. 2010

U. Braun

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Erysiphales

146. Erysiphe syringae-japonicae (U. Braun) U. Braun & S. Takam.

Schlechtendalia 4: 4 (2000).

GERMANY, Hamburg, Wandsbeck, front garden. On leaves of *Ligustrum vulgare* L.

4 Sep. 2010

U. Braun

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Erysiphales

147. Erysiphe tortilis (Wallr. : Fr.) Link

Sp. pl. 4, 6(1): 111 (1824).

GERMANY, Mecklenburg-Vorpommern, Krakow am See, road-side. On leaves of *Cornus sanguinea* L.

1 Sep. 2010

U. Braun

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Erysiphales

148. Podosphaera amelanchieris Maurizio

Zentralbl. Bacteriol., 2. Abth. 72: 145 (1927).

GERMANY, Niedersachsen, Bad Beversen, Amselstieg, garden. On leaves of *Amelanchier lamarckii* F.G. Schoeder (= *A. canadensis* K. Koch, *A. botryapium* (L. f.) Borgh.).

3 Aug. 2011

U. Braun

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Apiosporaceae

149. Apiospora montagnei Sacc.

Nuovo Giorn. Bot. Ital. 7: 306 (1875).

RUSSIA, St. Petersburg, Komarov Botanical Institute, Botanical Garden. On leaves of *Sasa kurilensis* (Rupr.) Makino & Shibata.

20 Jul. 2010

V.A. Mel'nik

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

150. *Cercospora capsici* Heald & F.A. Wolf.

Mycologia 3: 15 (1911).

SOUTH KOREA, Hongcho. On leaves of *Capsicum annuum* L.
29 Aug. 2005

H.D. Shin

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

151. *Cercospora cardamines* Losa

Anales Jard. Bot. Madrid 6: 453 (1946).

SOUTH KOREA, Hongcho. On living leaves of *Cardamine leucantha* O.E. Schulz.

4 Nov. 2005

H.D. Shin

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

152. *Cercospora ipomoeae* G. Winter

Hedwigia 26: 34 (1887).

SOUTH KOREA, Namyangyu. On leaves of *Ipomoea hederifolia* L. (= *I. angulata* Lam., *Quamoclit angulata* (Lam.) Bojer).

15 Oct. 2005

H.D. Shin

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

153. *Glomopsis lonicerae* Donk

Persoonia 4(2): 214 (1966).

RUSSIA, St. Petersburg, Komarov Botanical Institute, Botanical Garden. On
Lonicera tatarica L.

29 Sep. 2010

V.A. Mel'nik

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

154. *Passalora majewskii* U. Braun & F.O. Freire

Polish Bot. J. 55: 282 (2010).

Isotype

BRAZIL, State of Ceará, Guaramiranga City, alt. 910 m. On leaves of
Sparattanthelium botocudorum Mart.

10 Jan. 2007

F.O. Freire

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

155. *Periconia echinochloae* (Bat.) M.B. Ellis

Dematiaceous Hyphomycetes: 347 (1971).

VIETNAM, Prov. Dong Nai, Cat Tien National Park, pathway along river. On
leaves of a bamboo.

15 Jun. 2010

E.S. Popov (det. V.A. Mel'nik)

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Hyphomycetes

156. *Pseudocercospora namae* (Dearn. & House) U. Braun & Crous

in Crous & Braun, *Mycosphaerella* and its anamorphs: 1. Names published in *Cercospora* and *Passalora*, CBS Biodiversity Series 1: 288 (2003). – Syn.: *Cercospora namae* Dearn. & House, Bull. New York State Mus. 178: 34 (1915).

BRAZIL, Piau State, Picos City. On leaves of *Hydrolea spinosa* L.

30 Jul. 2009

F. Freire

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Hyphomycetes

157. *Ramularia carneola* (Sacc.) Nannf.

in Lundell & Nannf., Fungi Exs. Suec., Fasc. XXXIX–LX, Sched.: 25 (1950).

GERMANY, Sachsen-Anhalt, Wernigerode, “Harzblick” (MTB 4130/4.1). On leaves of *Scrophularia umbrosa* Dumort.

30 Oct. 2004

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Hyphomycetes

158. *Ramularia cylindroides* Sacc.

Fungi ital., Tab. 1010 (1881).

GERMANY, Sachsen-Anhalt, Altmark, Salzwedel, N Seebenau, Seebener Holz (MTB 3132/1.1). On leaves of *Pulmonaria obscura* Dumort.

11 Aug. 2004

H. Jage

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Hyphomycetes

159. Ramularia parietariae Pass.

in Rabenh., Fungi Eur. Exs., Ed. Nov., Ser. Sec., Cent. 2 (resp. Cent. 21), No. 2066, Dresden 1876.
GERMANY, Sachsen-Anhalt, Saaleaue, Merseburg, Kollenbeyer Holz (MTB 4637/2.2). On *Parietaria officinalis* L.

19 Oct. 2004

U. Richter & H. Jage

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Coelomycetes

160. Diploceras kriegeriana (Bres.) Nag Raj

Coelomycetous anamorphs with appendage-bearing conidia: 298 (1993).

RUSSIA, Leningrad Oblast', Kirov Rayon, vicinity of the city Otradnoye, meadow close to the cemetery. On leaves of *Epilobium angustifolium* L.

21 Aug. 2010

V.A. Mel'nik

Notes: ex LE 262002.

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Coelomycetes

161. Septoria abeliceae Hiray.

Mem. Coll. Agric. Kyoto Univ. 13: 33 (1931).

SOUTH KOREA, Jinju, Gajwa-dong. On leaves of *Zelkova serrata* (Thunb.) Makino.

29 Oct. 2006

H.D. Shin

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Coelomycetes

162. *Septoria cerastii* Roberge ex Desm.

Ann. Sci. Nat., Bot., 11: 21 (1849).

SOUTH KOREA, Yangdong-myon, Yangpyeong. On leaves of *Cerastium holosteoides* var. *hallaisanense* (Nakai) M. Mizish.

5 May 2006

H.D. Shin

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Coelomycetes

163. *Septoria dysentericae* Brunaud

Ann. Soc. Sci. Nat. Charente-Infér. 26: 81 (1889).

SOUTH KOREA, Hongchon. On leaves of *Inula britannica* var. *chinensis* Regel.

11 Sep. 2005

H.D. Shin

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Coelomycetes

164. *Septoria oenanthis* Ellis & Everh.

Proc. Acad. Nat. Sci. Philadelphia 46: 367 (1894).

SOUTH KOREA, Hongchon. On leaves of *Oenanthe javanica* (Blume) DC.

11 Sep. 2005

H.D. Shin

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Coelomycetes

165. Septoria posoniensis Bäumler

Hedwigia 24: 75 (1885).

SOUTH KOREA, Hoengseong, Nature Recreation Forest. On leaves of
Chrysosplenium japonicum (Maxim.) Makino.

14 May 2006

H.D. Shin

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Coelomycetes

166. Septoria lycopersici Speg.

Anales Soc. Ci. Argent. 12(3): 115 (1881).

AUSTRIA, Steiermark, Graz, Bezirk Gries, Florianigasse. On leaves of
Solanum lycopersicum L.

Aug. 2009

H. Teppner (det. C. Scheuer)

U. Braun: Fungi selecti exsiccati
(ex Herbario Universitatis Halensis)

Coelomycetes

167. Septoria lycopicola H.D. Shin & Sameva

Mycotaxon 73: 222 (1999).

SOUTH KOREA, Hongcheon, Sangoan-ri. On leaves of *Lycopus cavaleriei*
H. Lév. (= *L. ramosissimus* (Makino) Makino, *L. ramosissimus* var. *japonicus*
(Matsumura & Kudo) Kitamura).

17 Jun. 2006

H.D. Shin

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Basidiomycota, Anthracoideaceae (smut fungi)

168. *Anthracoidea subinclusa* (Körn.) Bref.

Untersuchungen aus dem Gesamtgebiet der Mykologie 12: 146 (1895).

GERMANY, Sachsen-Anhalt, Dübener Heide, NW Oppin (MTB 4241/4.1). On ovaries of *Carex hirta* L.

24 Jun. 2004

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Basidiomycota, Entylomataceae (smut fungi)

169. *Entyloma corydalis* de Bary

Bot. Zeitung 32: 104 (1874).

GERMANY, Sachsen-Anhalt, Altmark, Salzwedel, S Vissum (MTB 3134/3.3). On leaves of *Corydalis cava* Schweigg. & Körte.

21 Apr. 2004

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Basidiomycota, Entylomataceae (smut fungi)

170. *Entyloma dahliae* Syd. & P. Syd.

Ann. Mycol. 10: 36 (1912).

GERMANY, Brandenburg, Potsdam, Park Sanssouci, in front of Schloß Charlottenhof (MTB 3644/1.1). On leaves of *Dahlia pinnata* Cav.

14 Sep. 2011

V. Kummer

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Basidiomycota, Entylomataceae (smut fungi)

171. *Entyloma matricariae* Rostr.

in Thüm., Mycoth. Univ. 2223 (1884).

GERMANY, Sachsen-Anhalt, Zeitz, Moritzburg, Rossner Park (MTB 4938/2.3). On leaves of *Tripleurospermum inodorum* (L.) Sch. Bip.

21 Oct. 2004

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Basidiomycota, Entylomataceae (smut fungi)

172. *Entyloma matricariae* Rostr.

in Thüm., Mycoth. Univ. 2223 (1884).

GERMANY, Sachsen-Anhalt, Altmark, Salzwedel, NNE Hoyersburg, "Bürgerholz" (MTB 3133/1.1). On leaves of *Tripleurospermum inodorum* (L.) Sch. Bip.

11 Aug. 2004

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Basidiomycota, Entylomataceae (smut fungi)

173. *Entyloma veronicae* (Halst.) Lagerh.

in Patouillard & Lagerheim, Bull. Soc. Mycol. France 7: 170 (1891).

GERMANY, Brandenburg, Potsdam, Botanical Garden (MTB 3544/3.3). On leaves of *Veronica peregrina* L.

22 May 2011

V. Kummer

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Basidiomycota, Microbotryaceae (smut fungi)

174. *Microbotryum cordae* (Liro) G. Deml & Prillinger

Botanica Acta 104: 10 (1991) – Syn.: *Bauhinus cordae* (Liro) Denchev, Mycotaxon 65: 422 (1997).

GERMANY, Sachsen-Anhalt, opposite of Tangermünde, Elbe (MTB 3437/4.2).
In flowers of *Persicaria hydropiper* (L.) Delabre.

7 Oct. 2004

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Basidiomycota, Doassansiaceae (smut fungi)

175. *Nannfeldtiomyces sparganii* (Lagerh.) Vánky

Sydowia 34: 171 (1981).

GERMANY, Sachsen-Anhalt, Havelberg, W Fischbeck, “Junkernwiel” (MTB 3438/3.1). On leaves of *Sparganium erectum* L.

7 Oct. 2004

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Basidiomycota, Rhamphosporaceae (smut fungi)

176. *Rhamphospora nymphaeae* D.D. Cunn.

Sci. Mem. Med. Off. Army India 3: 32 (1888).

GERMANY, Brandenburg, Potsdam-Süd, Ravensberge, Teufelssee (MTB 3644/3.2). On leaves of *Nymphaea alba* L.

29 Jul. 2010

V. Kummer

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Basidiomycota, Ustilaginaceae (smut fungi)

177. *Ustilago trichophora* (Link) Kunze

Flora 13: 369 (1830).

GERMANY, Sachsen-Anhalt, Bitterfeld, W Rödgen, road towards Löberitz, corn field (MTB 4339/3.1). On *Echinochloa crus-galli* (L.) P. Beauv.

3 Oct. 2004

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Coleosporiaceae (rust fungi)

178. *Coleosporium pulsatillae* (F. Strauss) Lév.

Ann. Sci. Nat., Bot., 8: 373 (1847).

GERMANY, Sachsen-Anhalt, Freyburg, garden complex "Am Stadion" (MTB 4736/4). On leaves of *Pulsatilla vulgaris* Mill.

12 Aug. 2009

U. Richter

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Melampsoraceae (rust fungi)

179. *Melampsora rostrupii* G.H. Wagner

Oesterr. Bot. Z. 46(8): 274 (1896).

GERMANY, Baden-Württemberg, Karlsruhe, Grünwinkel, slope W of Vogesenbrücke. On leaves of *Populus alba* L.

11 Sep. 2009

M. Scholler

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Pucciniaceae (rust fungi)

180. *Miyagia pseudosphaeria* (Mont.) JØrst.

Nytt Mag. Bot. 9: 78 (1962).

GERMANY, Sachsen-Anhalt, Genthin, ENE Gnadau, Fiener Bruch (MTB 3638/4.4). On leaves of *Sonchus arvensis* L.

6 Oct. 2004

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Uropyxidaceae (rust fungi)

181. *Ochropsora ariae* (Fuckel) Ramsb.

Trans. Brit. Mycol. Soc. 4: 337 (1914).

GERMANY, Sachsen-Anhalt, Altmark, Salzwedel, N Seebenau, Seebener Holz, northern part (MTB 3032/3.3). On leaves of *Sorbus aucuparia* L.

13 Aug. 2004

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Pucciniaceae (rust fungi)

182. *Puccinia alnetorum* Gäum.

Hedwigia 80: 139 (1941).

GERMANY, Sachsen-Anhalt, Leuna, station of Leuna-Werke Nord (MTB 4638/3). On leaves of *Clematis vitalba* L.

28 Jun. 2009

U. Richter

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Pucciniaceae (rust fungi)

183. *Puccinia bornmuelleri* Magnus

Verh. Zool.-Bot. Ges. Wien 49: 94 (1899).

GERMANY, Sachsen-Anhalt, Freyburg, garden (MTB 4736/4). On leaves of *Levisticum officinale* W.D.J. Koch.

7 Aug. 2010

U. Richter

Notes: Introduced in Europe (Austria, Czech Republic, Poland, Romania) on *Levisticum officinale*. Now also known from Germany (see Ruske & Dörfelt, Z. Mykol. 77(1): 61, 2011).

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Pucciniaceae (rust fungi)

184. *Puccinia helianthi* Schwein.

Schriften Naturf. Ges. Leipzig 1: 73 (1822).

GERMANY, Sachsen-Anhalt, Eckartsberga, Schloßberg, near "Irrgarten", garden complex (MTB 4835/3.4). On leaves of *Helianthus annuus* L.

14 Sep. 2009

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Pucciniaceae (rust fungi)

185. *Puccinia helianthi* Schwein.

Schriften Naturf. Ges. Leipzig 1: 73 (1822).

GERMANY, Brandenburg, Mittelmark, Glindow, Langer Grund 27, garden (MTB 3643/1.4). On leaves of *Helianthus annuus* L.

13 Oct. 2011

V. Kummer

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Pucciniaceae (rust fungi)

186. *Puccinia tinctoriicola* Magnus

Oesterr. Bot. Z. 52(12): 491 (1902).

GERMANY, Brandenburg, Potsdam-Kuhfort, about 1 km NE crossing Kuhfortdamm corner Werderscher Damm (MTB 3543/4.4). On leaves of *Serratula tinctoria* L.

20 Sep. 2011

V. Kummer

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Pucciniaceae (rust fungi)

187. *Puccinia veronicae* (Schumach.) J. Schröt.

Krypt.-Fl. Schles. 3-1(3): 347 (1887).

GERMANY, Sachsen-Anhalt, Altmark, Salzwedel, N Seebenau, Seebener Holz (MTB 3132/1.1). On leaves of *Veronica montana* L.

11 Aug. 2004

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Pucciniastraceae (rust fungi)

188. *Pucciniastrum epilobii* G.H. Otth

Mitt. Naturf. Ges. Bern 1861: 72 (1861).

GERMANY, Saxony, Erzgebirge, Freiberg, Naundorf, Grillenberger Straße 12, front garden (MTB 5046/4.1). On leaves of *Oenothera* cf. *acaulis* Cav.

30 Sep. 2009

F. Klenke

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Pucciniastraceae (rust fungi)

189. *Pucciniastrum areolatum* (Fr.) G.H. Otth

Mitt. Naturf. Ges. Bern 1863: 85 (1863).

GERMANY, Sachsen-Anhalt, Altmark, Salzwedel, N Seebenau, Seebener Holz, northern part (MTB 3032/3.3). On leaves of *Prunus padus* L.

13 Aug. 2004

H. Jage

U. Braun: Fungi selecti exsiccati

(ex Herbario Universitatis Halensis)

Pucciniales, Pucciniaceae (rust fungi)

190. *Uromyces junci* Tul. & C. Tul.

Ann. Sci. Nat., Bot., 2: 146 (1854).

GERMANY, Sachsen-Anhalt, Halberstadt, ENE Osterode, Große Bruch, N Steinmühle, near Schiffgraben (MTB 3930/3.1). On leaves of *Juncus subnodulosus* Schrank.

19 Aug. 2004

H. Jage

Acknowledgements

I am grateful to F. Freire, H. Jage, F. Klencke, V. Kummer, V.A. Mel'nik, E.S. Popov, U. Richter, M. Scholler, H.D. Shin and H. Teppner for collections distributed in this issue of «Fungi selecti exsiccati ex Herbario Universitatis Halensis».

Address of the author

Uwe Braun, Martin-Luther-Universität, Institut für Biologie, Bereich Geobotanik und Botanischer Garten, Herbarium, Neuwerk 21, 06099 Halle (Saale), Germany.
(E-mail: uwe.braun@botanik.uni-halle.de)